

Cancer Prevention Research

Flaxseed Consumption Inhibits Chemically Induced Lung Tumorigenesis and Modulates Expression of Phase II Enzymes and Inflammatory Cytokines in A/J Mice

Shireen Chikara, Sujan Mamidi, Avinash Sreedasyam, et al.

Cancer Prev Res 2018;11:27-37. Published OnlineFirst October 26, 2017.

Updated version	Access the most recent version of this article at: doi: 10.1158/1940-6207.CAPR-17-0119
Supplementary Material	Access the most recent supplemental material at: http://cancerpreventionresearch.aacrjournals.org/content/suppl/2017/10/26/1940-6207.CAPR-17-0119.DC1

Cited articles	This article cites 50 articles, 16 of which you can access for free at: http://cancerpreventionresearch.aacrjournals.org/content/11/1/27.full#ref-list-1
-----------------------	--

E-mail alerts	Sign up to receive free email-alerts related to this article or journal.
Reprints and Subscriptions	To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org .
Permissions	To request permission to re-use all or part of this article, use this link http://cancerpreventionresearch.aacrjournals.org/content/11/1/27 . Click on "Request Permissions" which will take you to the Copyright Clearance Center's (CCC) Rightslink site.